Contents

The Journal of Clinical Investigation
January 1990, Volume 85, Number 1

Editorial

Something old, something new, something blue. *B. F. Scharschmidt* 1

Perspectives

Alterations in the establishment and maintenance of epithelial cell polarity as a basis for disease processes. *B. A. Molitoris and W. J. Nelson* 3

Regular Articles

Distribution and concentration of cholesteryl ester transfer protein in plasma of normolipemic subjects. *Y. L. Marcel, R. McPherson, M. Hogue, H. Czarnecka, Z. Zawadzki, P. K. Weech, M. E. Whitlock, A. R. Tall, and R. W. Milne* 10

Major histocompatibility complex–linked diabetogenic gene of the nonobese diabetic mouse. Analysis of genomic DNA amplified by the polymerase chain reaction. *H. Ikegami, G. S. Eisenbarth, and M. Hattori* 18

Cerebroventricular calcitonin gene–related peptide inhibits rat duodenal bicarbonate secretion by release of norepinephrine and vasopressin. *H. J. Lenz and M. R. Brown* 25

Anti-Ro(SSA) autoantibodies are associated with T cell receptor β genes in systemic lupus erythematosus patients. *M. B. Frank, R. McArthur, J. B. Harley, and A. Fujisaku* 33

Characterization of biologically active, platelet-derived growth factor–like molecules produced by murine erythroid cells in vitro and in vivo. *A. J. Sytkowski, C. O'Hara, G. Vanasse, M. J. Armstrong, S. Kreczko, and N. Dainiak* 40

Synthesis of aberrant decay-accelerating factor proteins by affected paroxysmal nocturnal hemoglobinuria leukocytes. *D. J. Carothers, S. V. Hazra, S. W. Andreson, and M. E. Medof* 47

Stage-related proliferative activity determines c-*myb* functional requirements during normal human hematopoiesis. *D. Caracciolo, D. Venturelli, M. Valtieri, C. Peschle, A. M. Gewirtz, and B. Calabretta* 55

Fibronectin-mediated Calmette-Guerin bacillus attachment to murine bladder mucosa. Requirement for the expression of an antitumor response. *L. R. Kavoussi, E. J. Brown, J. K. Ritchey, and T. L. Ratliff* 62

Differential regulation of right and left ventricular β-adrenergic receptors in newborn lambs with experimental cyanotic heart disease. *D. Bernstein, E. Voss, S. Huang, R. Doshi, and C. Crane* 68

Oxygen metabolites stimulate release of high-molecular-weight glycoconjugates by cell and organ cultures of rodent respiratory epithelium via an arachidonic acid-dependent mechanism. *K. B. Adler, W. J. Holden-Stauffer, and J. E. Repine* 75

Regulation of the anti–Sm autoantibody response in systemic lupus erythematosus mice by monoclonal anti–Sm antibodies. *R. A. Eisenberg, D. S. Pisetsky, S. Y. Craven, J. P. Grudier, M. A. O'Donnell, and P. L. Cohen* 86

A base mutation of the C-erbAβ thyroid hormone receptor in a kindred with generalized thyroid hormone resistance. Molecular heterogeneity in two other kindreds. *S. J. Usala, G. E. Tennyson, A. E. Bale, R. W. Lash, N. Gesundheit, F. E. Wondisford, D. Accili, P. Hauser, and B. D. Weintraub* 93

Differential and tissue-specific regulation of the multiple rat c-erbA messenger RNA species by thyroid hormone. *R. A. Hodin, M. A. Lazar, and W. W. Chin* 101

Beta-adrenergic stimulation of adenine nucleotide catabolism and purine release in human adipocytes. *H. Kather* 106

Atrial natriuretic peptide attenuates the development of pulmonary hypertension in rats adapted to chronic hypoxia. *H. Jin, R.-H. Yang, Y.-F. Chen, R. M. Jackson, and S. Oparil* 115

Role of lymphotoxin in expression of interleukin 6 in human fibroblasts. Stimulation and regulation. *M. Akashi, A. H. Loussararian, D. C. Adelman, M. Saito, and H. P. Koeffler* 121

Stimulation of CD5 enhances signal transduction by the T cell antigen receptor. *J. B. Imboden, C. H. June, M. A. McCutcheon, and J. A. Ledbetter* 130

Carrier detection in xeroderma pigmentosum. *R. Parshad, K. K. Sanford, K. H. Kraemer, G. M. Jones, and R. E. Tarone* 135

Amino acids and amines stimulate gastrin release from canine antral G-cells via different pathways. *J. DelValle and T. Yamada* 139

A low-fat diet decreases high density lipoprotein (HDL) cholesterol levels by decreasing HDL apolipoprotein transport rates. *E. A. Brinton, S. Eisenberg, and J. L. Breslow* 144

Isolation, purification, and radiolabeling of a novel 120-kD surface protein on *Blastomyces dermatitidis* yeasts to detect antibody in infected patients. *B. S. Klein and J. M. Jones* 152

Biochemical basis of prolidase deficiency. Polypeptide and RNA phenotypes and the relation to clinical phenotypes. *F. Endo, A. Tanoue, A. Kitano, J. Arata, D. M. Danks, C. M. Lapière, Y. Sei, S. K. Wadman, and I. Matsuda* . . 162

Peptidase modulation of the pulmonary effects of tachykinins in tracheal superfused guinea pig lungs. *M. A. Martins, S. A. Shore, N. P. Gerard, C. Gerard, and J. M. Drazen* 170

Impaired mitochondrial β-oxidation in a patient with an abnormality of the respiratory chain. Studies in skeletal muscle mitochondria. *N. J. Watmough, L. A. Bindoff, M. A. Birch-Machin, S. Jackson, K. Bartlett, C. I. Ragan, J. Poulton, R. M. Gardiner, H. S. A. Sherratt, and D. M. Turnbull* 177

Interferon gamma drastically modifies the regulation of interleukin 1 genes by endotoxin in U937 cells. *C. Ucla, P. Roux-Lombard, S. Fey, J.-M. Dayer, and B. Mach* . . 185

Expression of interleukin 2 receptors by monocytes from patients with acquired immunodeficiency syndrome and induction of monocyte interleukin 2 receptors by human immunodeficiency virus in vitro. *J. B. Allen, N. McCartney-Francis, P. D. Smith, G. Simon, S. Gartner, L. M. Wahl, M. Popovic, and S. M. Wahl* 192

Identification of two related markers for common acute lymphoblastic leukemia as heat shock proteins. *J. R. Strahler, R. Kuick, C. Eckerskorn, F. Lottspiech, B. C. Richardson, D. A. Fox, L. M. Stoolman, C. A. Hanson, D. Nichols, H. J. Tueche, and S. M. Hanash* 200

Role of complement in mouse macrophage binding of *Haemophilus influenzae* type b. *G. J. Noel, D. M. Mosser, and P. J. Edelson* 208

A glucocerebrosidase fusion gene in Gaucher disease. Implications for the molecular anatomy, pathogenesis, and diagnosis of this disorder. *A. Zimran, J. Sorge, E. Gross, M. Kubitz, C. West, and E. Beutler* 219

Phagocytosis of *Histoplasma capsulatum* yeasts and microconidia by human cultured macrophages and alveolar macrophages. Cellular cytoskeleton requirement for attachment and ingestion. *S. L. Newman, C. Bucher, J. Rhodes, and W. E. Bullock* 223

Cholesterol modulates rat renal brush border membrane phosphate transport. *M. Levi, B. M. Baird, and P. V. Wilson* 231

Anti-DNA antibody production by CD5+ and CD5− B cells of patients with systemic lupus erythematosus. *N. Suzuki, T. Sakane, and E. G. Engleman* 238

Tumor necrosis factor-α inhibits albumin gene expression in a murine model of cachexia. *D. A. Brenner, M. Buck, S. P. Feitelberg, and M. Chojkier* 248

Administration of endotoxin, tumor necrosis factor, or interleukin 1 to rats activates skeletal muscle branched-chain α-keto acid dehydrogenase. *M. D. Nawabi, K. P. Block, M. C. Chakrabarti, and M. G. Buse* 256

Metabolic rate of L-arginine in relation to microbiostatic capability of murine macrophages. *D. L. Granger, J. B. Hibbs, Jr., J. R. Perfect, and D. T. Durack* 264

Regulation of intracellular pH in the rabbit cortical collecting tubule. *I. D. Weiner and L. L. Hamm* 274

Frameshift mutation near the 3′ end of the COL1A1 gene of type I collagen predicts an elongated Proα1(I) chain and results in osteogenesis imperfecta type I. *M. C. Willing, D. H. Cohn, and P. H. Byers* 282

Rapid Publications

Neuropeptide Y and peptide YY inhibit lipolysis in human and dog fat cells through a pertussis toxin–sensitive G protein. *P. Valet, M. Berlan, M. Beauville, F. Crampes, J. L. Montastruc, and M. Lafontan* 291

Monovalent Fab′ immunoglobulin fragments from endemic pemphigus foliaceus autoantibodies reproduce the human disease in neonatal Balb/c mice. *B. Rock, R. S. Labib, and L. A. Diaz* 296

Growth factor–dependent initiation of DNA replication in nuclei isolated from an interleukin 3–dependent murine myeloid cell line. *N. C. Munshi and T. G. Gabig* 300

Altered sarcoplasmic reticulum Ca^{2+}-ATPase gene expression in the human ventricle during end-stage heart failure. *J.-J. Mercadier, A.-M. Lompré, P. Duc, K. R. Boheler, J.-B. Fraysse, C. Wisnewsky, P. D. Allen, M. Komajda, and K. Schwartz* 305

January Author Index 310

Contents

The Journal of Clinical Investigation
February 1990, Volume 85, Number 2

Perspectives

Biological markers for increased risk of alcoholism and for quantitation of alcohol consumption. *D. W. Crabb* . . . 311

Regular Articles

Intracellular glutathione in the protection from anoxic injury in renal proximal tubules. *L. J. Mandel, R. G. Schnellmann, and W. R. Jacobs* 316

Analysis of autoantibodies to recombinant La (SS-B) peptides in systemic lupus erythematosus and primary Sjogren's syndrome. *P. Bini, J.-L. Chu, C. Okolo, and K. Elkon* 325

Normal regulation of calcitriol production in *Gy* mice. Evidence for biochemical heterogeneity in the X-linked hypophosphatemic diseases. *G. A. Davidai, T. Nesbitt, and M. K. Drezner* 334

Intracellular cystine loading inhibits transport in the rabbit proximal convoluted tubule. *R. F. Salmon and M. Baum* 340

Maturation of neuromodulatory effect of substance P in rabbit airways. *D. T. Tanaka and M. M. Grunstein* . . . 345

Role of fibronectin in *Pneumocystis carinii* attachment to cultured lung cells. *S. T. Pottratz and W. J. Martin II* . . 351

Atherogenic diet increases cholesteryl ester transfer protein messenger RNA levels in rabbit liver. *E. M. Quinet, L. B. Agellon, P. A. Kroon, Y. L. Marcel, Y.-C. Lee, M. E. Whitlock, and A. R. Tall* 357

Analysis of 5′ flanking regions of the gamma globin genes from major African haplotype backgrounds associated with sickle cell disease. *S. R. Month, R. W. Wood, P. T. Trifillis, P. J. Orchowski, B. Sharon, S. K. Ballas, S. Surrey, and E. Schwartz* 364

Interaction of sulfonamide and sulfone compounds with *Toxoplasma gondii* dihydropteroate synthase. *C. J. Allegra, D. Boarman, J. A. Kovacs, P. Morrison, J. Beaver, B. A. Chabner, and H. Masur* 371

End-stage renal disease and diabetes catalyze the formation of a pentose-derived crosslink from aging human collagen. *D. R. Sell and V. M. Monnier* 380

Effect of ethanol on polyamine synthesis during liver regeneration in rats. *A. M. Diehl, M. Wells, N. D. Brown, S. S. Thorgeirsson, and C. J. Steer* 385

Pneumocystis carinii: Inhibition of lung cell growth mediated by parasite attachment. *A. H. Limper and W. J. Martin II* 391

Impaired ability of patients with familial isolated vitamin E deficiency to incorporate α-tocopherol into lipoproteins secreted by the liver. *M. G. Traber, R. J. Sokol, G. W. Burton, K. U. Ingold, A. M. Papas, J. E. Huffaker, and H. J. Kayden* 397

Identification of a highly mobilizable subset of human neutrophil intracellular vesicles that contains tetranectin and latent alkaline phosphatase. *N. Borregaard, L. Christensen, O. W. Bjerrum, H. S. Birgens, and I. Clemmensen* 408

In situ hybridization evidence for angiotensinogen messenger RNA in the rat proximal tubule. An hypothesis for the intrarenal renin angiotensin system. *J. R. Ingelfinger, W. M. Zuo, E. A. Fon, K. E. Ellison, and V. J. Dzau* 417

Suppression of interleukin 2–dependent human T cell growth in vitro by prostaglandin E (PGE) and their precursor fatty acids. Evidence for a PGE-independent mechanism of inhibition by the fatty acids. *D. Santoli, P. D. Phillips, T. L. Colt, and R. B. Zurier* 424

Isolation, characterization, and localization of heparin-binding growth factors in the heart. *W. Casscells, E. Speir, J. Sasse, M. Klagsbrun, P. Allen, M. Lee, B. Calvo, M. Chiba, L. Haggroth, J. Folkman, and S. E. Epstein* . . 433

Transcriptional and posttranscriptional regulation of macrophage-specific colony stimulating factor gene expression by tumor necrosis factor. Involvement of arachidonic acid metabolites. *M. L. Sherman, B. L. Weber, R. Datta, and D. W. Kufe* 442

Regulation of insulin-like growth factor I gene expression in the human macrophage-like cell line U937. *I. Nagaoka, B. C. Trapnell, and R. G. Crystal* 448

Bisphosphonates directly inhibit the bone resorption activity of isolated avian osteoclasts in vitro. *A. Carano, S. L. Teitelbaum, J. D. Konsek, P. H. Schlesinger, and H. C. Blair* 456

Adrenergic control of circulating lymphocyte subpopulations. Effects of congestive heart failure, dynamic exercise, and terbutaline treatment. *A. S. Maisel, K. U. Knowlton, P. Fowler, A. Rearden, M. G. Ziegler, H. J. Motulsky, P. A. Insel, and M. C. Michel* 462

Origin and regulation of a disease-specific autoantibody response. Antigenic epitopes, spectrotype stability, and isotype restriction of anti–Jo-1 autoantibodies. *F. W. Miller, S. A. Twitty, T. Biswas, and P. H. Plotz* . . 468

Insulin resistance is associated with reduced fasting and insulin-stimulated glycogen synthase phosphatase activity in human skeletal muscle. *Y. Kida, A. Esposito-Del Puente, C. Bogardus, and D. M. Mott* 476

Diacylglycerol synthesis de novo from glucose by pancreatic islets isolated from rats and humans. *B. A. Wolf, R. A. Easom, M. L. McDaniel, and J. Turk* 482

Voltage-dependent and Ca^{2+}-activated ion channels in human neutrophils. *K.-H. Krause and M. J. Welsh* . . . 491

Neonatal rabbit juxtamedullary proximal convoluted tubule acidification. *M. Baum* 499

Peptide growth factors can provoke "fetal" contractile protein gene expression in rat cardiac myocytes. *T. G. Parker, S. E. Packer, and M. D. Schneider* 507

Temporal correlation of antibody responses to different epitopes of the human La autoantigen. *E. W. St. Clair, J. A. Burch, Jr., M. M. Ward, J. D. Keene, and D. S. Pisetsky* 515

Intracellular glucose oxidation and glycogen synthase activity are reduced in non–insulin-dependent (type II) diabetes independent of impaired glucose uptake. *A. W. Thorburn, B. Gumbiner, F. Bulacan, P. Wallace, and R. R. Henry* 522

Structural characteristics of the variable regions of immunoglobulin genes encoding a pathogenic autoantibody in murine lupus. *B. P. Tsao, F. M. Ebling, C. Roman, N. Panosian-Sahakian, K. Calame, and B. H. Hahn* 530

Angiotensin converting enzyme inhibition ameliorates glomerular filtration of macromolecules and water and lessens glomerular injury in the rat. *A. Remuzzi, S. Puntorieri, C. Battaglia, T. Bertani, and G. Remuzzi* 541

Identification of the multiple β-thalassemia mutations by denaturing gradient gel electrophoresis. *S.-P. Cai and Y. W. Kan* 550

Mechanisms of hypochlorite injury of target cells. *I. U. Schraufstätter, K. Browne, A. Harris, P. A. Hyslop, J. H. Jackson, O. Quehenberger, and C. G. Cochrane* . . 554

Regulation of macrophage function by interferon-γ. Somatic cell genetic approaches in murine macrophage cell lines to mechanisms of growth inhibition, the oxidative burst, and expression of the chronic granulomatous disease gene. *M. Goldberg, L. S. Belkowski, and B. R. Bloom* 563

Mechanisms of intranephronal proteinaceous cast formation by low molecular weight proteins. *P. W. Sanders, B. B. Booker, J. B. Bishop, and H. C. Cheung* 570

Loss of cerebrovascular autoregulation in experimental meningitis in rabbits. *J. H. Tureen, R. J. Dworkin, S. L. Kennedy, M. Sachdeva, and M. A. Sande* 577

Interleukin 1 suppresses inflammation in rabbit colitis. Mediation by endogenous prostaglandins. *F. Cominelli, C. C. Nast, R. Llerena, C. A. Dinarello, and R. D. Zipser* 582

Rapid Publications

Release of endothelin from the porcine aorta. Inhibition by endothelium-derived nitric oxide. *C. Boulanger and T. F. Lüscher* 587

Human immunodeficiency virus-1 infection of macrophages in vitro neither induces tumor necrosis factor (TNF)/cachectin gene expression nor alters TNF/cachectin induction by lipopolysaccharide. *J. R. Munis, D. D. Richman, and R. S. Kornbluth* 591

Rat aortic smooth muscle cells in culture express kallikrein, kininogen, and bradykininase activity. *N. B. Oza, J. H. Schwartz, H. D. Goud, and N. G. Levinsky* 597

Human fibroblasts maintain the viability and augment the functional response of human neutrophils in culture. *C. J. Ling, W. F. Owen, Jr., and K. F. Austen* 601

Marked synergism between tumor necrosis factor-α and interferon-γ in regulation of keratinocyte-derived adhesion molecules and chemotactic factors. *J. N. W. N. Barker, V. Sarma, R. S. Mitra, V. M. Dixit, and B. J. Nickoloff* 605

February Author Index 609

Correction 611

Contents

The Journal of Clinical Investigation
March 1990, Volume 85, Number 3

Perspectives

Improved diagnosis of Duchenne/Becker muscular dystrophy. *A. H. Beggs and L. M. Kunkel* 613

Regular Articles

Normal immunoglobulin G (IgG) for therapeutic use (intravenous Ig) contain antiidiotypic specificities against an immunodominant, disease-associated, cross-reactive idiotype of human anti-thyroglobulin autoantibodies. *G. Dietrich and M. D. Kazatchkine* 620

Potent mitogenic effects of parathyroid hormone (PTH) on embryonic chick and rabbit chondrocytes. Differential effects of age on growth, proteoglycan, and cyclic AMP responses of chondrocytes to PTH. *T. Koike, M. Iwamoto, A. Shimazu, K. Nakashima, F. Suzuki, and Y. Kato* . . . 626

Oxygen-derived free radicals stimulate osteoclastic bone resorption in rodent bone in vitro and in vivo. *I. R. Garrett, B. F. Boyce, R. O. C. Oreffo, L. Bonewald, J. Poser, and G. R. Mundy* 632

Effects of a cholecystokinin receptor antagonist on intestinal phase of pancreatic and biliary responses in man. *P. Hildebrand, C. Beglinger, K. Gyr, J. B. M. J. Jansen, L. C. Rovati, M. Zuercher, C. B. H. W. Lamers, I. Setnikar, and G. A. Stalder* 640

Defective venous beta-adrenergic response in borderline hypertensive subjects is corrected by a low sodium diet. *R. D. Feldman* 647

Endothelin receptor is coupled to phospholipase C via a pertussis toxin–insensitive guanine nucleotide–binding regulatory protein in vascular smooth muscle cells. *T. Takuwa, Y. Kasuya, N. Takuwa, M. Kudo, M. Yanagisawa, K. Goto, T. Masaki, and K. Yamashita* 653

Role of thyroid hormones in apolipoprotein A-I gene expression in rat liver. *W. Strobl, N. L. Gorder, Y.-C. Lin-Lee, A. M. Gotto, Jr., and W. Patsch* 659

Accumulation of hyaluronan (hyaluronic acid) in myocardial interstitial tissue parallels development of transplantation edema in heart allografts in rats. *R. Hällgren, B. Gerdin, A. Tengblad, and G. Tufveson* . . 668

Transfection of cells from patients with leukocyte adhesion deficiency with an integrin β subunit (CD18) restores lymphocyte function–associated antigen-1 expression and function. *M. L. Hibbs, A. J. Wardlaw, S. A. Stacker, D. C. Anderson, A. Lee, T. M. Roberts, and T. A. Springer* 674

Neutrophil elastase and cathepsin G stimulate secretion from cultured bovine airway gland serous cells. *C. P. Sommerhoff, J. A. Nadel, C. B. Basbaum, and G. H. Caughey* 682

In vitro responses to Leishmania antigens by lymphocytes from patients with Leishmaniasis or Chagas' disease. *S. G. Reed, E. M. Carvalho, C. H. Sherbert, D. P. Sampaio, D. M. Russo, O. Bacelar, D. L. Pihl, J. M. Scott, A. Barral, K. H. Grabstein, and W. D. Johnson, Jr.* 690

Experimental non-O group 1 *Vibrio cholerae* gastroenteritis in humans. *J. G. Morris, Jr., T. Takeda, B. D. Tall, G. A. Losonsky, S. K. Bhattacharya, B. D. Forrest, B. A. Kay, and M. Nishibuchi* 697

Relationship between myocardial metabolites and contractile abnormalities during graded regional ischemia. Phosphorus-31 nuclear magnetic resonance studies of porcine myocardium in vivo. *S. Schaefer, G. G. Schwartz, J. R. Gober, A. K. Wong, S. A. Camacho, B. Massie, and M. W. Weiner* 706

Two cytosolic components of the human neutrophil respiratory burst oxidase translocate to the plasma membrane during cell activation. *R. A. Clark, B. D. Volpp, K. G. Leidal, and W. M. Nauseef* 714

Impaired response of fibroblasts from patients with hyperapobetalipoproteinemia to acylation-stimulating protein. *K. M. Cianflone, M. H. Maslowska, and A. D. Sniderman* 722

Proliferating or interleukin 1–activated human vascular smooth muscle cells secrete copious interleukin 6. *H. Loppnow and P. Libby* 731

Dependence on O_2^- generation by xanthine oxidase of pathogenesis of influenza virus infection in mice. *T. Akaike, M. Ando, T. Oda, T. Doi, S. Ijiri, S. Araki, and H. Maeda* 739

Amplification of T cell blastogenic responses in healthy individuals and patients with acquired immunodeficiency syndrome. *P. E. Harris, K. Strba-Cechova, P. Rubinstein, D. Mann, D. W. King, and N. Suciu-Foca* 746

Calcium oscillations index the extent of calcium loading and predict functional recovery during reperfusion in rat myocardium. *R. G. Weiss, G. Gerstenblith, and E. G. Lakatta* 757

Expression of two "immediate early" genes, *Egr-1* and *c-fos*, in response to renal ischemia and during compensatory renal hypertrophy in mice. *A. J. Ouellette, R. A. Malt, V. P. Sukhatme, and J. V. Bonventre* 766

Lipoxin formation during human neutrophil-platelet interactions. Evidence for the transformation of leukotriene A_4 by platelet 12-lipoxygenase in vitro. *C. N. Serhan and K.-A. Sheppard* 772

Dihydropyridine receptor gene expression is regulated by inhibitors of myogenesis and is relatively insensitive to denervation. *H.-T. Shih, M. S. Wathen, H. B. Marshall, J. M. Caffrey, and M. D. Schneider* 781

Endothelin-1 stimulates contraction of rat glomerular mesangial cells and potentiates β-adrenergic-mediated cyclic adenosine monophosphate accumulation. *M. S. Simonson and M. J. Dunn* 790

Heterogeneity in hormone responses and patterns of collagen synthesis in cloned dermal fibroblasts. *S. R. Goldring, M. L. Stephenson, E. Downie, S. M. Krane, and J. H. Korn* 798

Measurement of very low density and low density lipoprotein apolipoprotein (apo) B-100 and high density lipoprotein apo A-I production in human subjects using deuterated leucine. Effect of fasting and feeding. *J. S. Cohn, D. A. Wagner, S. D. Cohn, J. S. Millar, and E. J. Schaefer* 804

Identification of the cutaneous basement membrane zone antigen and isolation of antibody in linear immunoglobulin A bullous dermatosis. *J. J. Zone, T. B. Taylor, D. P. Kadunce, and L. J. Meyer* 812

Ultrastructural localization of cytochrome *b* in the membranes of resting and phagocytosing human granulocytes. *A. J. Jesaitis, E. S. Buescher, D. Harrison, M. T. Quinn, C. A. Parkos, S. Livesey, and J. Linner* . . 821

Suppression of ventricular arrhythmias in man by *d*-propranolol independent of beta-adrenergic receptor blockade. *K. T. Murray, C. Reilly, R. P. Koshakji, D. M. Roden, M. D. Lineberry, A. J. J. Wood, L. A. Siddoway, J. T. Barbey, and R. L. Woosley* 836

Phosphorus-31 nuclear magnetic resonance analysis of transient changes of canine myocardial metabolism in vivo. *F. W. Heineman and R. S. Balaban* 843

Separation of sublethal and lethal effects of the bactericidal/permeability increasing protein on *Escherichia coli*. *B. A. Mannion, J. Weiss, and P. Elsbach* 853

Plasma native and peptidase-derivable Met-enkephalin responses to restraint stress in rats. Adaptation to repeated restraint. *K. Pierzchala and G. R. Van Loon* 861

Regulation of 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity in murine epidermis. Modulation of enzyme content and activation state by barrier requirements. *E. Proksch, P. M. Elias, and K. R. Feingold* 874

Postprandial plasma retinyl ester response is greater in older subjects compared with younger subjects. Evidence for delayed plasma clearance of intestinal lipoproteins. *S. D. Krasinski, J. S. Cohn, E. J. Schaefer, and R. M. Russell* 883

Adrenergic regulation of lipolysis in situ at rest and during exercise. *P. Arner, E. Kriegholm, P. Engfeldt, and J. Bolinder* 893

In vitro autoantibody production by normal adult and cord blood B cells. *D. S. Pisetsky, D. F. Jelinek, L. M. McAnally, C. F. Reich, and P. E. Lipsky* 899

Azurocidin and a homologous serine protease from neutrophils. Differential antimicrobial and proteolytic properties. *D. Campanelli, P. A. Detmers, C. F. Nathan, and J. E. Gabay* 904

Differential effects of the various isoforms of platelet-derived growth factor on chemotaxis of fibroblasts, monocytes, and granulocytes. *A. Siegbahn, A. Hammacher, B. Westermark, and C.-H. Heldin* . . . 916

L-Histidine augments the response to 1-deamino-8-D-arginine vasopressin in Brattleboro homozygous (di/di) rats. *G. Charnogursky, A. M. Moses, R. Coulson, M. Bernstein, and C. P. Carvounis* 921

Elevated glucose promotes generation of endothelium-derived vasoconstrictor prostanoids in rabbit aorta. *B. Tesfamariam, M. L. Brown, D. Deykin, and R. A. Cohen* 929

Familial hypobetalipoproteinemia caused by a mutation in the apolipoprotein B gene that results in a truncated species of apolipoprotein B (B-31). A unique mutation that helps to define the portion of the apolipoprotein B molecule required for the formation of buoyant, triglyceride-rich lipoproteins. *S. G. Young, S. T. Hubl, R. S. Smith, S. M. Snyder, and J. F. Terdiman* 933

Counterregulatory effects of interferon-γ and endotoxin on expression of the human C4 genes. *J. Kulics, H. R. Colten, and D. H. Perlmutter* 943

Complex regulation of calcium current in cardiac cells. Dependence on a pertussis toxin–sensitive substrate, adenosine triphosphate, and an α_1-adrenoceptor. *E. C. Keung and J. S. Karliner* 950

Rapid Publications

Granulocyte-macrophage colony-stimulating factor promotes differentiation and survival of human peripheral blood dendritic cells in vitro. *S. Markowicz and E. G. Engleman* 955

Glucose transporter levels in spontaneously obese (db/db) insulin-resistant mice. *L. Koranyi, D. James, M. Mueckler, and M. A. Permutt* 962

Acetylation pharmacogenetics. The slow acetylator phenotype is caused by decreased or absent arylamine *N*-acetyltransferase in human liver. *D. M. Grant, K. Mörike, M. Eichelbaum, and U. A. Meyer* 968

Amylin secretion from the rat pancreas and its selective loss after streptozotocin treatment. *A. Ogawa, V. Harris, S. K. McCorkle, R. H. Unger, and K. L. Luskey* 973

Point mutations impairing cell surface expression of the common β subunit (CD18) in a patient with leukocyte adhesion molecule (Leu-CAM) deficiency. *M. A. Arnaout, N. Dana, S. K. Gupta, D. G. Tenen, and D. M. Fathallah* 977

March Author Index 982

Contents

The Journal of Clinical Investigation
April 1990, Volume 85, Number 4

Perspectives

Islets of Langerhans: the puzzle of intraislet interactions and their relevance to diabetes. *G. C. Weir and S. Bonner-Weir* 983

Role of the retinoblastoma gene in the initiation and progression of human cancer. *W. F. Benedict, H.-J. Xu, S.-X. Hu, and R. Takahashi* 988

Regular Articles

Hypertensive cardiomyopathy. Myocyte nuclei hyperplasia in the mammalian rat heart. *P. Anversa, T. Palackal, E. H. Sonnenblick, G. Olivetti, and J. M. Capasso* 994

Gastrin-releasing peptide in human nasal mucosa. *J. N. Baraniuk, J. D. Lundgren, J. Goff, D. Peden, M. Merida, J. Shelhamer, and M. Kaliner* 998

Inhibition of bicarbonate absorption by peptide hormones and cyclic adenosine monophosphate in rat medullary thick ascending limb. *D. W. Good* 1006

Common low-density lipoprotein receptor mutations in the French Canadian population. *E. Leitersdorf, E. J. Tobin, J. Davignon, and H. H. Hobbs* 1014

Allergic bronchial asthma due to *Dermatophagoides pteronyssinus* hypersensitivity can be efficiently treated by inoculation of allergen-antibody complexes. *J. J. Machiels, M. A. Somville, P. M. Lebrun, S. J. Lebecque, M. G. Jacquemin, and J.-M. R. Saint-Remy* 1024

Pathogenesis of *Campylobacter fetus* infections. Role of surface array proteins in virulence in a mouse model. *Z. Pei and M. J. Blaser* 1036

Epidermal growth factor–stimulated phosphoinositide hydrolysis in cultured rat inner medullary collecting tubule cells. Regulation by G protein, calcium, and protein kinase C. *I. Teitelbaum, A. Strasheim, and T. Berl* 1044

Disease-associated human histocompatibility leukocyte antigen determinants in patients with seropositive rheumatoid arthritis. Functional role in antigen-specific and allogeneic T cell recognition. *C. M. Weyand and J. J. Goronzy* 1051

Nucleotide sequence of messenger RNA encoding human isovaleryl–coenzyme A dehydrogenase and its expression in isovaleric acidemia fibroblasts. *Y. Matsubara, M. Ito, R. Glassberg, S. Satyabhama, Y. Ikeda, and K. Tanaka* 1058

Purification and characterization of an abundant cytosolic protein from human neutrophils that promotes Ca^{2+}-dependent aggregation of isolated specific granules. *J. D. Ernst, E. Hoye, R. A. Blackwood, and D. Jaye* . . 1065

Regulation of megakaryocyte phenotype in human erythroleukemia cells. *M. W. Long, C. H. Heffner, J. L. Williams, C. Peters, and E. V. Prochownik* . . . 1072

Expression and modulation of nerve growth factor in murine keratinocytes (PAM 212). *V. A. Tron, M. D. Coughlin, D. E. Jang, J. Stanisz, and D. N. Sauder* 1085

Hypoxia modulates the barrier and coagulant function of cultured bovine endothelium. Increased monolayer permeability and induction of procoagulant properties. *S. Ogawa, H. Gerlach, C. Esposito, A. Pasagian-Macaulay, J. Brett, and D. Stern* 1090

Glucose transport and microvillus membrane physical properties along the crypt–villus axis of the rabbit. *J. B. Meddings, D. DeSouza, M. Goel, and S. Thiesen* 1099

Adaptation to bacterial lipopolysaccharide controls lipopolysaccharide-induced tumor necrosis factor production in rabbit macrophages. *J. C. Mathison, G. D. Virca, E. Wolfson, P. S. Tobias, K. Glaser, and R. J. Ulevitch* 1108

Glomerular hypertrophy aggravates epithelial cell injury in nephrotic rats. *P. L. Miller, J. W. Scholey, H. G. Rennke, and T. W. Meyer* 1119

Insulin regulates the paracellular permeability of cultured intestinal epithelial cell monolayers. *J. A. McRoberts, R. Aranda, N. Riley, and H. Kang* 1127

Primed stimulation of isolated perfused rabbit lung by endotoxin and platelet activating factor induces enhanced production of thromboxane and lung injury. *W. L. Salzer and C. E. McCall* 1135

Effect of dietary protein on rat renin and angiotensinogen gene expression. *M. E. Rosenberg, D. Chmielewski, and T. H. Hostetter* 1144

The adenosine/neutrophil paradox resolved: human neutrophils possess both A_1 and A_2 receptors that promote chemotaxis and inhibit O_2^- generation, respectively. *B. N. Cronstein, L. Daguma, D. Nichols, A. J. Hutchison, and M. Williams* 1150

A major crossreactive idiotype associated with human antibodies to the *Haemophilus influenzae* b polysaccharide. Expression in relation to age and immunoglobulin G subclass. *A. H. Lucas and D. M. Granoff* 1158

Glucose-induced microvascular functional changes in nondiabetic rats are stereospecific and are prevented by an aldose reductase inhibitor. *J. R. Williamson, E. Ostrow, D. Eades, K. Chang, W. Allison, C. Kilo, and W. R. Sherman* 1167

Hydroxyeicosatetraenoic acid metabolism in cultured human skin fibroblasts. Evidence for peroxisomal β-oxidation. *J. A. Gordon, P. H. Figard, and A. A. Spector* 1173

Human Ro ribonucleoprotein particles: characterization of native structure and stable association with the La polypeptide. *G. Boire and J. Craft* 1182

Feedback regulation of bile-acid synthesis in the rat. Differing effects of taurocholate and tauroursocholate. *S. Shefer, L. Nguyen, G. Salen, A. K. Batta, D. Brooker, F. G. Zaki, I. Rani, and G. S. Tint* 1191

Immunochemical analysis of uridine diphosphate–glucuronosyltransferase in four patients with the Crigler-Najjar syndrome type I. *H. H. G. van Es, B. G. Goldhoorn, M. Paul-Abrahamse, R. P. J. Oude Elferink, and P. L. M. Jansen* 1199

The cardiac β-myosin heavy chain isogene is induced selectively in α_1-adrenergic receptor-stimulated hypertrophy of cultured rat heart myocytes. *L. E. Waspe, C. P. Ordahl, and P. C. Simpson* 1206

Plasma levels of $C\bar{1}$ inhibitor complexes and cleaved $C\bar{1}$ inhibitor in patients with hereditary angioneurotic edema. *M. Cugno, J. Nuijens, E. Hack, A. Eerenberg, D. Frangi, A. Agostoni, and M. Cicardi* 1215

The complete digestion of human milk triacylglycerol in vitro requires gastric lipase, pancreatic colipase–dependent lipase, and bile salt–stimulated lipase. *S. Bernbäck, L. Bläckberg, and O. Hernell* 1221

Early expression of high-affinity receptor for immunoglobulin E (FcεRI) during differentiation of mouse mast cells and human basophils. *H. L. Thompson, D. D. Metcalfe, and J.-P. Kinet* 1227

Regression of atherosclerotic lesions by high density lipoprotein plasma fraction in the cholesterol-fed rabbit. *J. J. Badimon, L. Badimon, and V. Fuster* 1234

Stimulation of thrombopoiesis in mice by human recombinant interleukin 6. *R. J. Hill, M. K. Warren, and J. Levin* 1242

A human endothelial cell membrane protein that binds *Staphylococcus aureus* in vitro. *D. C. Tompkins, V. B. Hatcher, D. Patel, G. A. Orr, L. L. Higgins, and F. D. Lowy* 1248

Release of Ca^{2+} from the endoplasmic reticulum is not the mechanism for bile acid–induced cholestasis and hepatotoxicity in the intact rat liver. *G. C. Farrell, S. K. Duddy, G. E. N. Kass, J. Llopis, A. Gahm, and S. Orrenius* 1255

Minimally modified low density lipoprotein stimulates monocyte endothelial interactions. *J. A. Berliner, M. C. Territo, A. Sevanian, S. Ramin, J. A. Kim, B. Bamshad, M. Esterson, and A. M. Fogelman* . . . 1260

Bile acid profiles in peroxisomal 3-oxoacyl-coenzyme A thiolase deficiency. *P. T. Clayton, E. Patel, A. M. Lawson, R. A. Carruthers, and J. Collins* 1267

Augmentation of the natriuretic activity of exogenous and endogenous atriopeptin in rats by inhibition of guanosine 3′,5′-cyclic monophosphate degradation. *M. R. Wilkins, S. L. Settle, and P. Needleman* 1274

Atypical multinucleated cells form in long-term marrow cultures from patients with Paget's disease. *A. Kukita, C. Chenu, L. M. McManus, G. R. Mundy, and G. D. Roodman* 1280

Fcγ receptor III on human neutrophils. Allelic variants have functionally distinct capacities. *J. E. Salmon, J. C. Edberg, and R. P. Kimberly* 1287

1,25$(OH)_2$ vitamin D_3 stimulates membrane phosphoinositide turnover, activates protein kinase C, and increases cytosolic calcium in rat colonic epithelium. *R. K. Wali, C. L. Baum, M. D. Sitrin, and T. A. Brasitus* 1296

Phagocytosis of leprosy bacilli is mediated by complement receptors CR1 and CR3 on human monocytes and complement component C3 in serum. *L. S. Schlesinger and M. A. Horwitz* 1304

Rapid Publications

A combination of HLA-DQβ Asp57-negative and HLA DQα Arg52 confers susceptibility to insulin-dependent diabetes mellitus. *I. Khalil, L. d'Auriol, M. Gobet, L. Morin, V. Lepage, I. Deschamps, M. S. Park, L. Degos, F. Galibert, and J. Hors* 1315

Endothelin messenger RNA and receptors are differentially expressed in cultured human breast epithelial and stromal cells. *P. A. Baley, T. J. Resink, U. Eppenberger, and A. W. A. Hahn* 1320

Measles virus–substance P receptor interactions. Possible novel mechanism of viral fusion. *G. Harrowe, M. Mitsuhashi, and D. G. Payan* 1324

Cosegregation of the renin allele of the spontaneously hypertensive rat with an increase in blood pressure. *T. W. Kurtz, L. Simonet, P. M. Kabra, S. Wolfe, L. Chan, and B. L. Hjelle* 1328

Epstein-Barr virus induces aggressive lymphoproliferative disorders of human B cell origin in SCID/hu chimeric mice. *M. J. Cannon, P. Pisa, R. I. Fox, and N. R. Cooper* 1333

April Author Index 1338

Correction 1339

Correction 1341

Contents

The Journal of Clinical Investigation
May 1990, Volume 85, Number 5

Perspectives

α1-Antitrypsin deficiency, emphysema, and liver disease. Genetic basis and strategies for therapy. *R. G. Crystal* 1343

Regular Articles

Increased numbers of T lymphocytes with γδ-positive antigen receptors in a subgroup of individuals with pulmonary sarcoidosis. *B. Balbi, D. R. Moller, M. Kirby, K. J. Holroyd, and R. G. Crystal* 1353

Autonomic pathophysiology in heart failure patients. Sympathetic–cholinergic interrelations. *T. R. Porter, D. L. Eckberg, J. M. Fritsch, R. F. Rea, L. A. Beightol, J. F. Schmedtje, Jr., and P. K. Mohanty* 1362

Vitronectin binds to activated human platelets and plays a role in platelet aggregation. *E. Asch and E. Podack* 1372

Molecular cloning, expression, and chromosome 19 localization of a human Ro/SS-A autoantigen. *D. P. McCauliffe, F. A. Lux, T.-S. Lieu, I. Sanz, J. Hanke, M. M. Newkirk, L. L. Bachinski, Y. Itoh, M. J. Siciliano, M. Reichlin, R. D. Sontheimer, and J. D. Capra* 1379

Amniotic fluid interleukin 6 in preterm labor. Association with infection. *R. Romero, C. Avila, U. Santhanam, and P. B. Sehgal* 1392

Molecular characterization of a somatically mutated anti–DNA antibody bearing two systemic lupus erythematosus–related idiotypes. *A. Davidson, A. Manheimer-Lory, C. Aranow, R. Peterson, N. Hannigan, and B. Diamond* 1401

Preventive effect of long-term aldose reductase inhibition (ponalrestat) on nerve conduction and sural nerve structure in the spontaneously diabetic bio-breeding rat. *A. A. F. Sima, A. Prashar, W.-X. Zhang, S. Chakrabarti, and D. A. Greene* 1410

Constitutive and inducible expression of HLA class II determinants by human osteoblast-like cells in vitro. *H. Sjkødt, D. E. Hughes, P. R. M. Dobson, and R. G. G. Russell* 1421

Effects of hypernatremia on organic brain osmoles. *Y.-H. H. Lien, J. I. Shapiro, and L. Chan* 1427

Effect of thrombin on calcium homeostasis in chick embryonic heart cells. Receptor-operated calcium entry with inositol trisphosphate and a pertussis toxin–sensitive G protein as second messengers. *W. W. Chien, R. Mohabir, and W. T. Clusin* 1436

Impairment of sympathetic activation during static exercise in patients with muscle phosphorylase deficiency (McArdle's disease). *S. L. Pryor, S. F. Lewis, R. G. Haller, L. A. Bertocci, and R. G. Victor* 1444

Abnormal regulation of renal vitamin D catabolism by dietary phosphate in murine X-linked hypophosphatemic rickets. *H. S. Tenenhouse and G. Jones* 1450

Altered expression of gangliosides in erythrocytes of paroxysmal nocturnal hemoglobinuria. *H. Nakakuma, T. Kawaguchi, K. Horikawa, M. Hidaka, Y. Yonemura, M. Kawakita, T. Kagimoto, M. Iwamori, Y. Nagai, and K. Takatsuki* 1456

Mechanism of myocardial contractile depression by clinical concentrations of ethanol. A study in ferret papillary muscles. *T. Guarnieri and E. G. Lakatta* . . 1462

CAP37, a human neutrophil-derived chemotactic factor with monocyte specific activity. *H. A. Pereira, W. M. Shafer, J. Pohl, L. E. Martin, and J. K. Spitznagel* 1468

Human seminal clusterin (SP-40,40). Isolation and characterization. *M. K. O'Bryan, H. W. G. Baker, J. R. Saunders, L. Kirszbaum, I. D. Walker, P. Hudson, D. Y. Liu, M. D. Glew, A. J. F. d'Apice, and B. F. Murphy* 1477

Immunogenic DNA-related factors. Nucleosomes spontaneously released from normal murine lymphoid cells stimulate proliferation and immunoglobulin synthesis of normal mouse lymphocytes. *D. A. Bell, B. Morrison, and P. VandenBygaart* 1487

Neutrophil adherence to isolated adult canine myocytes. Evidence for a CD18-dependent mechanism. *M. L. Entman, K. Youker, S. B. Shappell, C. Siegel, R. Rothlein, W. J. Dreyer, F. C. Schmalstieg, and C. W. Smith* 1497

Pathogenesis of an experimental model of Goodpasture's hemorrhagic pneumonitis. *T. H. Queluz, I. Pawlowski, M. J. Brunda, J. R. Brentjens, A. O. Vladutiu, and G. Andres* 1507

Relationship of one form of human histamine-releasing factor to connective tissue activating peptide-III. *M. L. Baeza, S. R. Reddigari, D. Kornfeld, N. Ramani, E. M. Smith, P. A. Hossler, T. Fischer, C. W. Castor, P. G. Gorevic, and A. P. Kaplan* 1516

A single nucleotide substitution introduces a premature termination codon into the androgen receptor gene of a patient with receptor-negative androgen resistance. *M. Marcelli, W. D. Tilley, C. M. Wilson, J. D. Wilson, J. E. Griffin, and M. J. McPhaul* 1522

Cell membrane is a major locus for ultraviolet B–induced alterations in accessory cells. *J. Krutmann, I. U. Khan, R. S. Wallis, F. Zhang, E. A. Rich, J. J. Ellner, and C. A. Elmets* 1529

Endothelin-1 mRNA is widely expressed in porcine and human tissues. *D. J. R. Nunez, M. J. Brown, A. P. Davenport, C. B. Neylon, J. P. Schofield, and R. K. Wyse* 1537

Overexpression of human low density lipoprotein receptors leads to accelerated catabolism of Lp(a) lipoprotein in transgenic mice. *S. L. Hofmann, D. L. Eaton, M. S. Brown, W. J. McConathy, J. L. Goldstein, and R. E. Hammer* 1542

X-linked severe combined immunodeficiency. Diagnosis in males with sporadic severe combined immunodeficiency and clarification of clinical findings. *M. E. Conley, R. H. Buckley, R. Hong, C. Guerra-Hanson, C. M. Roifman, J. A. Brochstein, S. Pahwa, and J. M. Puck* 1548

Chromogranin A in children with neuroblastoma. Serum concentration parallels disease stage and predicts survival. *R. J. Hsiao, R. C. Seeger, A. L. Yu, and D. T. O'Connor* 1555

Effects of interleukin-3 on hematopoietic recovery after 5-fluorouracil or cyclophosphamide treatment of cynomolgus primates. *A. P. Gillio, C. Gasparetto, J. Laver, M. Abboud, M. A. Bonilla, M. B. Garnick, and R. J. O'Reilly* 1560

Fine epitope mapping of the human SS-B/La protein. Identification of a distinct autoepitope homologous to a viral gag polyprotein. *H. Kohsaka, K. Yamamoto, H. Fujii, H. Miura, N. Miyasaka, K. Nishioka, and T. Miyamoto* 1566

Identification of two variant short chain acyl-coenzyme A dehydrogenase alleles, each containing a different point mutation in a patient with short chain acyl-coenzyme A dehydrogenase deficiency. *E. Naito, Y. Indo, and K. Tanaka* 1575

The p67-*phox* cytosolic peptide of the respiratory burst oxidase from human neutrophils. Functional aspects. *N. Okamura, B. M. Babior, L. A. Mayo, P. Peveri, R. M. Smith, and J. T. Curnutte* 1583

$1,25(OH)_2D_3$ production by T lymphocytes and alveolar macrophages recovered by lavage from normocalcemic patients with tuberculosis. *J. Cadranel, M. Garabedian, B. Milleron, H. Guillozo, G. Akoun, and A. J. Hance* 1588

Clinical modeling of T cell vaccination against autoimmune disease in rats. Selection of antigen-specific T cells using a mitogen. *F. Mor, A. W. Lohse, N. Karin, and I. R. Cohen* 1594

Role of intracellular calcium handling in force–interval relationships of human ventricular myocardium. *J. K. Gwathmey, M. T. Slawsky, R. J. Hajjar, G. M. Briggs, and J. P. Morgan* 1599

Catecholamine-induced lipolysis in adipose tissue of the elderly. *F. Lönnqvist, B. Nyberg, H. Wahrenberg, and P. Arner* 1614

Effect of adenosine$_1$-receptor blockade on renin release from rabbit isolated perfused juxtaglomerular apparatus. *H. Weihprecht, J. N. Lorenz, J. Schnermann, O. Skøtt, and J. P. Briggs* 1622

A_1 adenosine receptors inhibit chloride transport in the shark rectal gland. Dissociation of inhibition and cyclic AMP. *G. G. Kelley, E. M. Poeschla, H. V. Barron, and J. N. Forrest, Jr.* 1629

Interaction between *Borrelia burgdorferi* and endothelium in vitro. *A. Szczepanski, M. B. Furie, J. L. Benach, B. P. Lane, and H. B. Fleit* 1637

Effects of acute hyperglycemia on myocardial glycolytic activity in humans. *J. A. Wisneski, W. C. Stanley, R. A. Neese, and E. W. Gertz* 1648

A defect in sodium-dependent amino acid uptake in diabetic rabbit peripheral nerve. Correction by an aldose reductase inhibitor or *myo*-inositol administration. *D. A. Greene, S. A. Lattimer, P. B. Carroll, J. D. Fernstrom, and D. N. Finegold* 1657

Regulation of immunoglobulin (Ig)E synthesis in the hyper-IgE syndrome. *D. Vercelli, H. H. Jabara, C. Cunningham-Rundles, J. S. Abrams, D. B. Lewis, J. Meyer, L. C. Schneider, D. Y. M. Leung, and R. S. Geha* 1666

Tumor hypoglycemia: relationship to high molecular weight insulin-like growth factor-II. *E. T. Shapiro, G. I. Bell, K. S. Polonsky, A. H. Rubenstein, M. C. Kew, and H. S. Tager* 1672

Rapid Publications

An insulin-induced DNA-binding protein for the human growth hormone gene. *D. Prager, S. Gebremedhin, and S. Melmed* 1680

A new model of *Pneumocystis carinii* infection in mice selectively depleted of helper T lymphocytes. *J. Shellito, V. V. Suzara, W. Blumenfeld, J. M. Beck, H. J. Steger, and T. H. Ermak* 1686

Biological properties of recombinant human monocyte-derived interleukin 1 receptor antagonist. *W. P. Arend, H. G. Welgus, R. C. Thompson, and S. P. Eisenberg* . . 1694

Phospholamban-mediated stimulation of Ca^{2+} uptake in sarcoplasmic reticulum from normal and failing hearts. *M. A. Movsesian, J. Colyer, J. H. Wang, and J. Krall* 1698

2,4-Dienoyl-coenzyme A reductase deficiency: a possible new disorder of fatty acid oxidation. *C. R. Roe, D. S. Millington, D. L. Norwood, N. Kodo, H. Sprecher, B. S. Mohammed, M. Nada, H. Schulz, and R. McVie* 1703

May Author Index 1708

Contents

The Journal of Clinical Investigation
June 1990, Volume 85, Number 6

Perspectives

Lipoprotein (a). Heterogeneity and biological relevance. *A. M. Scanu and G. M. Fless* 1709

Regular Articles

Insulin-induced hypoglycemia stimulates corticotropin-releasing factor and arginine vasopressin secretion into hypophysial portal blood of conscious, unrestrained rams. *A. Caraty, M. Grino, A. Locatelli, V. Guillaume, F. Boudouresque, B. Conte-Devolx, and C. Oliver* . . . 1716

Presence of immunoglobulin (Ig) M and IgG double isotype–bearing cells and defect of switch recombination in hyper IgM immunodeficiency. *Y. Akahori, Y. Kurosawa, Y. Kamachi, S. Torii, and H. Matsuoka* 1722

A regulatory role for large vessels in organ circulation. Endothelial cells of the main renal artery modulate intrarenal hemodynamics in the rat. *V. Kon, R. C. Harris, and I. Ichikawa* 1728

Kinetic properties of the Na^+/H^+ antiporter of lymphocytes from the spontaneously hypertensive rat: role of intracellular pH. *A. M. Saleh and D. C. Batlle* 1734

v-*ras*^{H} induces non–small cell phenotype, with associated growth factors and receptors, in a small cell lung cancer cell line. *J. P. Falco, S. B. Baylin, R. Lupu, M. Borges, B. D. Nelkin, R. K. Jasti, N. E. Davidson, and M. Mabry* 1740

Effects of *Escherichia coli* hemolysin on human monocytes. Cytocidal action and stimulation of interleukin 1 release. *S. Bhakdi, M. Muhly, S. Korom, and G. Schmidt* 1746

Hepatic protein phosphotyrosine phosphatase. Dephosphorylation of insulin and epidermal growth factor receptors in normal and alloxan diabetic rats. *P. A. Gruppuso, J. M. Boylan, B. I. Posner, R. Faure, and D. L. Brautigan* 1754

Glomerular and tubular adaptive responses to acute nephron loss in the rat. Effect of prostaglandin synthesis inhibition. *J. C. Pelayo and P. F. Shanley* 1761

T cell antigen receptor V gene usage. Increases in Vβ8+ T cells in Crohn's disease. *D. N. Posnett, I. Schmelkin, D. A. Burton, A. August, H. McGrath, and L. F. Mayer* 1770

Expression of functional interleukin 2 receptors by peripheral blood monocytes from patients with active pulmonary tuberculosis. *Z. Toossi, J. R. Sedor, J. P. Lapurga, R. J. Ondash, and J. J. Ellner* 1777

Relative contribution of glycogen synthesis and glycolysis to insulin-mediated glucose uptake. A dose–response euglycemic clamp study in normal and diabetic rats. *L. Rossetti and A. Giaccari* 1785

Luminal chloride modulates rat distal tubule bidirectional bicarbonate flux in vivo. *D. Z. Levine, D. Vandorpe, and M. Iacovitti* 1793

Three-dimensional intracellular calcium gradients in single human burst-forming units-erythroid-derived erythroblasts induced by erythropoietin. *R. V. Yelamarty, B. A. Miller, R. C. Scaduto, Jr., F. T. S. Yu, D. L. Tillotson, and J. Y. Cheung* 1799

Cytokine regulation of antigen-driven immunoglobulin E production in filarial parasite infections in humans. *C. L. King, E. A. Ottesen, and T. B. Nutman* 1810

Increased expression of fibroblast growth factors in a rabbit skeletal muscle model of exercise conditioning. *N. G. Morrow, W. E. Kraus, J. W. Moore, R. S. Williams, and J. L. Swain* 1816

Defects in the E_2 lipoyl transacetylase and the X-lipoyl containing component of the pyruvate dehydrogenase complex in patients with lactic acidemia. *B. H. Robinson, N. MacKay, R. Petrova-Benedict, I. Ozalp, T. Coskun, and P. W. Stacpoole* 1821

Melanotropin receptors demonstrated in situ in human melanoma. *J. B. Tatro, M. Atkins, J. W. Mier, S. Hardarson, H. Wolfe, T. Smith, M. L. Entwistle, and S. Reichlin* 1825

Cellular distribution of transforming growth factor-β1 and procollagen types I, III, and IV transcripts in carbon tetrachloride-induced rat liver fibrosis. *H. Nakatsukasa, P. Nagy, R. P. Evarts, C.-C. Hsia, E. Marsden, and S. S. Thorgeirsson* 1833

Decreased effect of insulin to stimulate skeletal muscle blood flow in obese man. A novel mechanism for insulin resistance. *M. Laakso, S. V. Edelman, G. Brechtel, and A. D. Baron* 1844

Modulation of interleukin 1 beta gene expression by the immediate early genes of human cytomegalovirus. *G. K. Iwamoto, M. M. Monick, B. D. Clark, P. E. Auron, M. F. Stinski, and G. W. Hunninghake* 1853

Acute effects of mildly intoxicating levels of alcohol on left ventricular function in conscious dogs. *C.-P. Cheng, Z. Shihabi, and W. C. Little* 1858

A conserved idiotype and antibodies to retroviral proteins in systemic lupus erythematosus. *N. Talal, R. F. Garry, P. H. Schur, S. Alexander, M. J. Dauphinée, I. H. Livas, A. Ballester, M. Takei, and H. Dang* 1866

Expression of the functional cone phototransduction cascade in retinoblastoma. *R. L. Hurwitz, E. Bogenmann, R. L. Font, V. Holcombe, and D. Clark* 1872

Induction of antigen-specific human cytotoxic T cells by *Toxoplasma gondii*. *I. A. Khan, K. A. Smith, and L. H. Kasper* 1879

Double minutes arise from circular extrachromosomal DNA intermediates which integrate into chromosomal sites in human HL-60 leukemia cells. *D. D. Von Hoff, B. Forseth, C. N. Clare, K. L. Hansen, and D. VanDevanter* 1887

The acute splanchnic and peripheral tissue metabolic response to endotoxin in humans. *Y. Fong, M. A. Marano, L. L. Moldawer, H. Wei, S. E. Calvano, J. S. Kenney, A. C. Allison, A. Cerami, G. T. Shires, and S. F. Lowry* 1896

Hypertonic saline increases vascular permeability in the rat trachea by producing neurogenic inflammation. *E. Umeno, D. M. McDonald, and J. A. Nadel* 1905

Involvement of cyclic adenosine monophosphate in the interleukin 4 inhibitory effect on interleukin 2–induced lymphokine-activated killer generation. *J.-Y. Blay, D. Branellec, E. Robinet, B. Dugas, F. Gay, and S. Chouaib* 1909

Modulation of in vitro monocyte cytokine responses to *Leishmania donovani*. Interferon-γ prevents parasite-induced inhibition of interleukin 1 production and primes monocytes to respond to *Leishmania* by producing both tumor necrosis factor-α and interleukin 1. *N. E. Reiner, W. Ng, C. B. Wilson, W. R. McMaster, and S. K. Burchett* 1914

Bacterial phospholipid hydrolysis enhances the destruction of *Escherichia coli* ingested by rabbit neutrophils. Role of cellular and extracellular phospholipases. *G. C. Wright, J. Weiss, K. S. Kim, H. Verheij, and P. Elsbach* 1925

Role of tumor necrosis factor-α in the pathophysiologic alterations after hepatic ischemia/reperfusion injury in the rat. *L. M. Colletti, D. G. Remick, G. D. Burtch, S. L. Kunkel, R. M. Strieter, and D. A. Campbell, Jr.* 1936

Reversal of β-cell suppression in vitro in pancreatic islets isolated from nonobese diabetic mice during the phase preceding insulin-dependent diabetes mellitus. *E. Strandell, D. L. Eizirik, and S. Sandler* 1944

Macrophage functions are regulated by the substratum of murine decidual stromal cells. *R. W. Redline, D. B. McKay, M. A. Vazquez, V. E. Papaioannou, and C. Y. Lu* 1951

Basolateral membrane sodium-independent Cl^-/HCO_3^- exchanger in rat inner medullary collecting duct cell. *R. A. Star* 1959

Anti–liver endoplasmic reticulum autoantibodies are directed against human cytochrome P-450IA2. A specific marker of dihydralazine-induced hepatitis. *M. Bourdi, D. Larrey, J. Nataf, J. Bernuau, D. Pessayre, M. Iwasaki, F. P. Guengerich, and P. H. Beaune* 1967

Predominant functional roles for thromboxane A_2 and prostaglandin E_2 during late nephrotoxic serum glomerulonephritis in the rat. *K. Takahashi, G. F. Schreiner, K. Yamashita, B. W. Christman, I. Blair, and K. F. Badr* 1974

Structural model of porcine factor VIII and factor VIIIa molecules based on scanning transmission electron microscope (STEM) images and STEM mass analysis. *M. W. Mosesson, D. N. Fass, P. Lollar, J. P. DiOrio, C. G. Parker, G. J. Knutson, J. F. Hainfeld, and J. S. Wall* 1983

Increased endothelial albumin permeability mediated by protein kinase C activation. *J. J. Lynch, T. J. Ferro, F. A. Blumenstock, A. M. Brockenauer, and A. B. Malik* 1991

Retinoic acid inhibits calmodulin binding to human erythrocyte membranes and reduces membrane Ca^{2+} adenosine triphosphatase activity. *F. B. Davis, T. J. Smith, M. R. Deziel, P. J. Davis, and S. D. Blas* 1999

Basic fibroblast growth factor stimulates endothelial regrowth and proliferation in denuded arteries. *V. Lindner, R. A. Majack, and M. A. Reidy* 2004

Evidence for carrier-mediated transport of glutathione across the blood–brain barrier in the rat. *R. Kannan, J. F. Kuhlenkamp, E. Jeandidier, H. Trinh, M. Ookhtens, and N. Kaplowitz* 2009

Effects of endothelin on peptide-dependent cyclic adenosine monophosphate accumulation along the nephron segments of the rat. *K. Tomita, H. Nonoguchi, and F. Marumo* 2014

Identification of surface proteins mediating adherence of CD11/CD18-deficient lymphoblastoid cells to cultured human endothelium. *B. R. Schwartz, E. A. Wayner, T. M. Carlos, H. D. Ochs, and J. M. Harlan* 2019

Rapid Publication

Upregulation of platelet-derived growth factor-A and -B gene expression in alveolar macrophages of individuals with idiopathic pulmonary fibrosis. *I. Nagaoka, B. C. Trapnell, and R. G. Crystal* 2023

June Author Index 2028

Correction 2029

Addendum 2031

Author Index to Volume 85 2033